



BOSCA[®]
REINVENTING THE WOOD FIRE



www.bosca.co.nz

FIREPOINT 360

Need a fire to fit a corner or small space? Choose the Bosca Firepoint 360. Curved sides sweep down to the floor, mirroring the circular shape of the flue.


This alternative to the traditional square box wood fire is the smallest of the range making it ideal for rooms where space is tight, or the fire must fit into a corner.

Wherever it is placed, your Firepoint will become the central focus of the room. Stylish and elegant, this wood burning stove will complement and enhance the ambience of your home.



Specifications



Estimated Peak Heat Output	14Kw
Max. Average Heat Output	7.8Kw
Weight	80kg
Colour	Black
Height	800mm
Width	525mm
Depth	490mm
Max Log Length	350mm
Min. to Combustible Walls (I) (With Heat Shield)	195mm
Min. to Combustible walls (B)	340mm
Min. Ash Hearth (C)	300mm
Min. Door Opening Ash Hearth (D)	200mm
Min. to Combustible Wall (E)	320mm
Flue Centre to Rear Wall (F)	313mm
Flue Centre to Side Wall (G)	596mm
Flue Centre to Corner Walls (H)	479mm
Min. to Combustible Walls (No Heat Shield) (A)	315mm
Emissions g/kg	0.9
Efficiency	74%



LIMIT 380

The economically priced Limit 380 is the top selling model in the Bosca range thanks to its excellent efficiency rating coupled with a conventional pedestal look and moderate size.

Despite a more conventional silhouette, the Limit's smart styling details and deft finishing touches ensure this fireplace is a standout feature in any room.





Specifications

Estimated Peak Heat Output	17Kw
Max. Average Heat Output	9.4Kw
Weight	98kg
Colour	Black
Height	870mm
Width	470mm
Depth	500mm
Max Log Length	350mm
Min. to Combustible Walls (I) (With Heat Shield)	240mm
Min. to Combustible walls (B)	325mm
Min. Ash Hearth (C)	300mm
Min. Door Opening Ash Hearth (D)	200mm
Min. to Combustible Wall (E)	250mm
Flue Centre to Rear Wall (F)	369mm
Flue Centre to Side Wall (G)	558mm
Flue Centre to Corner Walls (H)	478mm
Min. to Combustible Walls (no Heat Shield) (A)	345mm
Emissions g/kg	0.9
Efficiency	76%

SPIRIT 550

The Spirit 550 is designed specially for large modern homes that need warm air circulating through a number of rooms. This sophisticated fire takes its design cues from the top European styles, with curved sides over the traditional square fire box.

With options of stainless steel or black sides to fit the surrounding décor, Spirit is the perfect wood fire when looks and performance need to go hand-in-hand.



Specifications

Estimated Peak Heat Output	19Kw
Max. Average Heat Output	10.2Kw
Weight	143kg
Colour	Black
Height	910mm
Width	605mm
Depth	530mm
Max Log Length	350mm
Min. to Combustible Walls (I) (With Heat Shield)	230mm
Min. to Combustible walls (B)	245mm
Min. Ash Hearth (C)	300mm
Min. Door Opening Ash Hearth (D)	200mm
Min. to Combustible Wall (E)	140mm
Flue Centre to Rear Wall (F)	351mm
Flue Centre to Side Wall (G)	549mm
Flue Centre to Corner Walls (H)	396mm
Min. to Combustible Walls (no Heat Shield) (A)	N/A
Emissions g/kg	0.9
Efficiency	69%



BOSCA – AN INTERNATIONAL SUCCESS

From humble kiwi beginnings in the 1970s, Bosca is now a leader on the world stage.

Originally designed and manufactured in New Zealand, word of their quality quickly spread and by the mid 1980s a joint venture had been set up with a manufacturer in Chile. Bosca wood fires, now fully Chilean owned, have gone on to become an international success story.

Not only are they the market leader in Chile but Bosca fires are now sold widely throughout the USA, Canada, UK and South Africa. Bosca fires are renowned for their quality construction, clean burn, high efficiency ratings, low emission levels and sleek European styling.

Distributed in New Zealand by Jayline – your fire place.



BOSCA WOOD FIRES ARE ...

Stylish: Bosca fires are both smart and elegant. The traditional tin box is no longer your only option.

Bosca's vertical styling and sophisticated curves give a distinct European flavour to their design. Team your Bosca fire with a Bosca ash hearth in either glass or black steel for a stylish modern look.

Efficient: Bosca's high efficiency places them among the top wood fires available on market today, well above the National Environmental Standards.

Low Emission: Bosca's revolutionary integrated combustion plate and secondary air system result in low emission levels, which are friendlier for the environment. With emission below 1.0g/kg Bosca fires are suitable for use in almost all areas of New Zealand.

Cross-over: Bosca fires heat through a mix of both convection and radiant heat so you get the best of both worlds.

Long-lasting: Twice the weight of most other wood fires, the construction quality makes Bosca fires extremely durable.

They are made of folded steel plates fully welded together. The surfaces are painted with high temperature - resistant paint, specially treated for maximum adhesion.

Bosca's robust 25mm thick refractive fire bricks are standard across all models, so you will always be able to buy replacements.

Clean: A built-in ash tray is a handy and convenient tool for use when clearing ash from the fire.

Safe: 5mm thick ceramic glass doors are resistant to high temperatures and heat shock, while still allowing a good view of the interior flames.



Easy to ignite: Keeping the ash door ajar when lighting the fire gives a turbo effect and reduces the chance of smoke in the room.

Easy to install: Under the Australian/ New Zealand Building Standards Bosca wood fires do not require insulating floor protectors. This allows the use of the much simpler, more elegant Bosca ash hearth.

See more at www.bosca.co.nz

ASH HEARTHES

Bosca fires do not require a full insulated hearth but they still need an ash hearth to protect the floor and keep the fire surrounding tidy. Bosca offers pre made ash hearths for both corner and wall installation in either 12mm smoked glass or 4mm black steel. Bosca ash hearths can be placed directly on any floor surface such as vinyl or carpet. Bosca ash hearths do not always butt hard up to the edges of the walls. The distance from the wall will vary with the fire model and the installation method.



FLUES

Bosca fires can be ordered with either black painted or stainless steel flues. When choosing the stainless steel flue you will need to be aware that it will change colour from the base upward as the fire is used. This is a traditional visual effect for a wood fire. If you want a more uniform colour, then the black flue will be your preferred choice. Every single skin flue shield which is black on the outside and stainless steel inside.



HANDLES

Bosca fires come standard with removable steel handles which are also used to operate the primary air control and open the ash tray. A fixed, heat resistant handle is an additional option if you prefer to have the handle permanently affixed to the fire door.



BOSCA®

REINVENTING THE WOOD FIRE

Bosca wood stoves come with a full five-year warranty on the firebox. Warranty conditions, installation manuals and technical specifications are available on Bosca website:

www.bosca.co.nz

Due to our programme of continuous improvement Specifications may change without notice. Performance may vary from stated values depending on actual operating conditions